


スーパーギヤラインナップ


KAWADA MODEL

64ピッチ・スーパーギヤ					
歯数	歯先円直径	汎用スーパータフ	マシンカット	DD用	TC用
72	29.37		SM6472		
74	30.16		SM6474		
76	30.96		SM6476		
78	31.75		SM6478		
80	32.54		SM6480		
82	33.34		SM6482		
86	34.93			SR6486	
88	35.72	S6488T		SR6488	
89	36.12	S6489T			
90	36.51	S6490T		SR6490	
91	36.91	S6491T			
92	37.31	S6492T		SR6492	
93	37.70	S6493T			
94	38.10	S6494T		SR6494	
95	38.50	S6495T			
96	38.89	S6496T		SR6496	
97	39.29	S6497T			
98	39.69	S6498T		SR6498	ST6498
99	40.08	S6499T			
100	40.48	S64100T			ST64100
101	40.88	S64101T			
102	41.28	S64102T			ST64102
103	41.67	S64103T			
104	42.07	S64104T			ST64104
105	42.47	S64105T			
106	42.86	S64106T			ST64106
108	43.66	S64108T			ST64108
110	44.45	S64110T			ST64110
112	45.24	S64112T			
114	46.04	S64114T			
116	46.83	S64116T			ST64116
118	47.63	S64118T			
120	48.42	S64120T			
122	49.21	S64122T			


48ピッチ・スーパーギヤ		
歯数	歯先円直径	汎用スーパータフ
65	35.45	S4865T
66	35.98	S4866T
67	36.51	S4867T
68	37.04	S4868T
69	37.57	S4869T
70	38.10	S4870T
71	38.63	S4871T
72	39.16	S4872T
73	39.69	S4873T
74	40.22	S4874T
75	40.75	S4875T
76	41.28	S4876T
78	42.33	S4878T
80	43.39	S4880T
82	44.45	S4882T
84	45.51	S4884T
86	46.57	S4886T
88	47.63	S4888T
90	48.68	S4890T
92	49.74	S4892T



汎用スーパータフ
(品番: S6400T・S4800T)



マシンカット
(品番: SM6400)
DD用スーパーデフ
(品番: SR6400)



TC用
(品番: ST6400)

ピニオンギヤラインナップ


KAWADA MODEL

64ピッチ・ピニオンギヤ				
歯数	歯先円直径	超硬ジュラ	スチール	1.5mmシャフト用
7	3.57			PG07
8	3.97			PG08
9	4.37			PG09
10	4.76			PG10
11	5.16			PG11
12	5.56			PG12
13	5.95	PNB13		
14	6.35	PNB14		
15	6.75	PNB15		
16	7.14	PNB16		
17	7.54	PNB17	PNC17	
18	7.94	PNB18	PNC18	
19	8.33	PNB19	PNC19	
20	8.73	PNB20	PNC20	
21	9.13	PNB21	PNC21	
22	9.53	PNB22	PNC22	
23	9.92	PNB23	PNC23	
24	10.32	PNB24	PNC24	
25	10.72	PNB25	PNC25	
26	11.11	PNB26	PNC26	
27	11.51	PNB27	PNC27	
28	11.91	PNB28	PNC28	
29	12.30	PNB29	PNC29	
30	12.70	PNB30	PNC30	
31	13.10	PNB31	PNC31	
32	13.49	PNB32	PNC32	
33	13.89	PNB33	PNC33	
34	14.29	PNB34	PNC34	
35	14.68	PNB35	PNC35	
36	15.08	PNB36	PNC36	
37	15.48	PNB37		
38	15.88	PNB38		
39	16.27	PNB39		
40	16.67	PNB40		
41	17.07	PNB41		
42	17.46	PNB42		
43	17.86	PNB43		
44	18.26	PNB44		
45	18.65	PNB45		
46	19.05	PNB46		
47	19.45	PNB47		
48	19.84	PNB48		
49	20.24	PNB49		
50	20.64	PNB50		
51	21.03	PNB51		
52	21.43	PNB52		
53	21.83	PNB53		
54	22.23	PNB54		
55	22.62	PNB55		
56	23.02	PNB56		
57	23.42	PNB57		


48ピッチ・ピニオンギヤ			
歯数	歯先円直径	超硬ジュラ	スチール
15	9.00	PNB515	
16	9.53	PNB516	
17	10.05	PNB517	
18	10.58	PNB518	
19	11.11	PNB519	PNC519
20	11.64	PNB520	PNC520
21	12.17	PNB521	PNC521
22	12.70	PNB522	PNC522
23	13.23	PNB523	PNC523
24	13.76	PNB524	PNC524
25	14.29	PNB525	PNC525
26	14.82	PNB526	PNC526
27	15.35	PNB527	PNC527
28	15.88	PNB528	PNC528
29	16.40	PNB529	
30	16.93	PNB530	
31	17.46	PNB531	
32	17.99	PNB532	
33	18.52	PNB533	
34	19.05	PNB534	
35	19.58	PNB535	
36	20.11	PNB536	
37	20.64	PNB537	
38	21.17	PNB538	
39	21.70	PNB539	
40	22.23	PNB540	

0.6モジュール・ピニオンギヤ		
歯数	歯先円直径	超硬ジュラ
12	8.40	PNB612
13	9.00	PNB613
14	9.60	PNB614
15	10.20	PNB615
16	10.80	PNB616
17	11.40	PNB617
18	12.00	PNB618
19	12.60	PNB619
20	13.20	PNB620
21	13.80	PNB621
22	14.40	PNB622
23	15.00	PNB623
24	15.60	PNB624
25	16.20	PNB625
26	16.80	PNB626
27	17.40	PNB627
28	18.00	PNB628


0.5モジュール・ピニオンギヤ		
歯数	歯先円直径	2mmシャフト用
8	5.00	PNM08
9	5.50	PNM09
10	6.00	PNM10
11	6.50	PNM11
12	7.00	PNM12
13	7.50	PNM13
14	8.00	PNM14
15	8.50	PNM15
16	9.00	PNM16
17	9.50	PNM17
18	10.00	PNM18
19	10.50	PNM19
20	11.00	PNM20
21	11.50	PNM21



超硬ジュラ (品番:PNB)
スチール (品番:PNC)



0.5モジュール
(品番:PNM)



1.5mmシャフト用
(品番:PG)

